ELSEVIER

Volume 260, Numbers 1–2, 12 September 1997

Journal of ALLOYS AND COMPOUNDS

Contents

Letter

Ternary Nd-Ru-Sn system L1
P. Salamakha, P. Demchenko (L'viv, Ukraine), J. Stępień-Damm (Wroclaw, Poland)

Physics

TDPAC study of the Hf-doped $LaNi_5$–hydrogen system 1
I. Yaar, Z. Gavra, D. Cohen, Y. Levitin, J. Feuerlicht, M.H. Mintz, Z. Berant (Beer-Sheva, Israel)

Effect of interstitial hydrogen and nitrogen on the magnetocrystalline anisotropy of Y_2Fe_{17} 5
S.A. Nikitin, E.A. Ovtchenkov, A.A. Salamova, V.N. Verbetsky (Moscow, Russia)

Raman spectroscopic study of the ternary system Sb_2S_3-As_2S_3-Tl_2S 7
M.A. El Idrissi Raghni, B. Bonnet (Montpellier, France), M.L. Hafid (Marrakech, Marocco), J. Olivier-Fourcade, J.C. Jumas (Montpellier, France)

Hydrogen-induced decomposition in $Pr(Co_{1-x}Cu_x)_5$ intermetallic compounds 12
N.V. Mushnikov, A.Ye. Yermakov, N.K. Zajkov, A.K. Shtolz (Ekaterinburg, Russia)

EXAFS and ^{125}Te spectroscopy study of the $Yb_{1-x}Eu_xTe$, $Pb_{1-x}Eu_xTe$ and $Yb_{1-x}Gd_xTe$ solid solutions 17
S. Merah (Meudon, France), D. Ravot (Meudon, France and Montpellier, France), A. Percheron-Guegan (Meudon, France), J. Olivier-Fourcade, J.C. Jumas (Montpellier, France), A. Mauger (Paris, France), P. Parent (Orsay, France)

Metastable bcc Ni produced by rod milling and chemical leaching 23
H.-G. Kim (Kwangju, South Korea), K. Sumiyama, K. Suzuki (Sendai, Japan)

A Mössbauer effect investigation of site preferences and Fe environments in Ga-substituted Sm_2Fe_{17} compounds 28
R.A. Dunlap, G.R. MacKay, Z. Wang (Halifax, Canada)

^{155}Gd Mössbauer investigation of GdTSi compounds (T = Co, Fe, Mn) 32
F.M. Mulder, R.C. Thiel (Leiden, The Netherlands), K.H.J. Buschow (Amsterdam, The Netherlands)

A study of magnetic coupling in GdT_2Si_2 compounds (T = transition metal) 35
L.D. Tung, J.J.M. Franse, K.H.J. Buschow, P.E. Brommer (Amsterdam, The Netherlands), N.P. Thuy (Hanoi, Vietnam)

Crystallographic and physical properties of new ternary $R_2T_3X_y$ (R = La, Ce, U, T = Rh, Ir, X = Al, Ga) compounds 44
B. Buschinger, C. Geibel, M. Weiden, C. Dietrich, G. Cordier, G. Olesch, J. Köhler, F. Steglich (Darmstadt, Germany)

Chemistry

Magnetic behaviour of two AlB_2-related germanides: $CePd_{0.63}Ge_{1.37}$ and $CeAu_{0.75}Ge_{1.25}$ 50
C.D.W. Jones, R.A. Gordon, F.J. DiSalvo (Ithaca, NY, USA), R. Pöttgen, R.K. Kremer (Stuttgart, Germany)

On the vapourization thermodynamics of cobalt trifluoride 56
G. Balducci, B. Brunetti, V. Piacente (Roma, Italy)

Thermal decomposition products of heteronuclear Cu-RE complexes, $CuRE(dhbaen)(NO_3)\cdot nH_2O$ (RE = La, Eu, Gd, Tb, Dy, Y, Ho, Er, Tm, Yb, and Lu) 59
M. Sakamoto, T. Igoshi (Yamagata, Japan), M. Sato (Niigata, Japan), S. Matsushima (Kitakyushu, Japan), M. Miwa, H. Aono, Y. Sadaoka (Matsuyama, Japan)

Elsevier Science S.A.

Green up-conversion and infrared emission spectra of U^{3+} in $LaCl_3$ 64
M. Yin (Hefei, China and Orsay, France), M.-F. Joubert (Villeurbanne, France), J.-C. Krupa (Orsay, France)

Studies on the interaction between lanthanide ions and ligands, in solid complexes of lanthanide hexacyanometalates. Part II. The kinetics of thermal dehydration of lanthanide hexacyanocobaltate (III) hydrates, $Ln[Co(CN)_6]\cdot nH_2O$ and yttrium hexacyanocobaltate (III) tetrahydrates 70
Y. Masuda, K. Kikuchi, Y. Yukawa, H. Miyamoto (Niigata, Japan)

Phase diagram and Raman spectroscopy of $EuCl_2$–NaCl binary mixtures 75
Y. Koyama, R. Takagi (Tokyo, Japan), Y. Iwadate, K. Fukushima (Chiba, Japan)

$Ca_{15}(CBN)_6(C_2)_2O$ – a new cubic structure type containing CBN^{4-}- anions together with acetylide and oxo anions 80
M. Wörle, H.-J. Muhr (Zürich, Switzerland), H. Meyer zu Altenschildesche (Vancouver, Canada), R. Nesper (Zürich, Switzerland)

Microstructure, thermal properties and hardness of the $CeMO_3$ (M = Al,Ga) synthesized by arc-melting method 88
T. Shishido, Y. Zheng (Sendai, Japan), A. Saito, H. Horiuchi (Tokyo, Japan), K. Kudou, S. Okada (Yokohama, Japan), T. Fukuda (Sendai, Japan)

Optical properties of Eu^{2+}-activated orthosilicates and orthophosphates 93
S.H.M. Poort, W. Janssen, G. Blasse (Utrecht, The Netherlands)

Phase relationships and crystallography in the pseudobinary system Gd_5Si_4–Gd_5Ge_4 98
V.K. Pecharsky, K.A. Gschneidner Jr. (Ames, IA, USA)

Some observations on the Gd-rich side of the Gd-C system 107
K.A. Gschneidner Jr., A. Pecharsky, K.W. Dennis (Ames, IA, USA)

Metallurgy

The phase equilibria in the quasi-ternary Ag_2Se–Ga_2Se_3–$GeSe_2$ system 111
I.D. Olekseyuk, G.P. Gorgut, O.V. Parasyuk (Lutsk, Ukraine)

Amorphization in the Al–C system by mechanical alloying 121
N.Q. Wu, J.M. Wu, G.-X. Wang, Z.Z. Li (Hangzhou, P.R. China)

X-ray investigation of the ternary Nd–Cu–Si and Nd–Cu–Pb systems at 870 K 127
P. Salamakha, O. Zaplatynsky (L'viv, Ukraine)

Kinetics and thermodymamics of hydrogen absorption in the $Zr(Al_{0.1}Fe_{0.9})_2$ intermetallic compound 131
A. Israel, I. Jacob (Beer Sheva, Israel)

X-ray diffraction study on Ni–Al–Se amorphization by mechanical alloying 135
I. Apachitei, L.M. Craus, Gh. Calugaru (Iasi, Romania)

Peculiarities of the $R_3(Fe,Si)_{29}$ phase formation in the Sm-Fe-Si system 139
G.V. Ivanova, G.M. Makarova, Ye.V. Shcherbakova, Y.V. Belozerov, A.S. Yermolenko (Ekaterinburg, Russia)

Thermal stabilities of amorphous $Mg(Ni_{1-x}T_x)$ (T = 3d transition metals; $x = 0$, 0.2, 0.4 and 0.5) 143
S. Orimo, K. Ikeda, H. Fujii, K. Yamamoto (Higashi-Hiroshima, Japan)

Effect of the addition of palladium on grain growth kinetics of pure titanium 147
F.J. Gil, J.A. Picas, J.M. Manero, A. Forn, J.A. Planell (Barcelona, Spain)

Disintegration and fine powder preparation of $Nb_{75}Si_{25}$ via hydrogenation 153
X.G. Li, A. Chiba, S. Takahashi (Morioka, Japan)

Crystal structures of new ternary rare earth silicides $Sc_3Pr_2Si_4$, $Sc_{1.26}Pr_{3.74}Si_4$ and $Sc_{3.96}Nd_{1.04}Si_4$ with ordered and partially ordered rare earth sites 157
B.Ya. Kotur, O.E. Banakh (Lviv, Ukraine), R. Černý, J.V. Pacheco Espejel (Genève, Switzerland)

β-phase transformation and thermoelectric power in $FeSi_2$ and Fe_2Si_5 based alloys containing small amounts of Cu 162
I. Yamauchi, T. Okamoto, H. Ohata, I. Ohnaka (Osaka, Japan)

The kinetics and mechanism of the low temperature reaction between tin and copper(I) chloride powders 172
M. Radid, K. Sbai (Casablanca, Morocco), B. Gillot (Dijon, France)

Experimental study of the ternary system Cd–Te–Zn 179
A. Haloui, Y. Feutelais, B. Legendre (Châtenay-Malabry, France)

Calorimetric investigation on the Pb-Sm and Sn-Sm alloys 193
A.-E.-A. Berrada, Y. Claire (Marseille, France), M. Chafik el Idrissi (Kénitra, Marocco), R. Castanet (Marseille, France)

Materials Science

Law of approach to saturation in highly anisotropic ferromagnets. Application to Nd-Fe-B melt-spun ribbons 196
S.V. Andreev (Ekaterinburg, Russia), M.I. Bartashevich (Tokyo, Japan), V.I. Pushkarsky, V.N. Maltsev, L.A. Pamyatnykh, E.N. Tarasov, N.V. Kudrevatykh (Ekaterinburg, Russia), T. Goto (Tokyo, Japan)

Degradation mechanism of Ti-Zr-V-Mn-Ni metal hydride electrodes 201
H.-H. Lee, K.-Y. Lee, J.-Y. Lee (Taejon, South Korea)

The structural features of the complex oxides plastic flow–the AB_2O_3 model system 208
I.I. Gainutdinov, Yu.T. Pavlukhin (Novosibirsk, Russia)

Hydriding properties of $Ce(Mn, Al)_2$ and $Ce(Fe, Al)_2$ intermetallic compounds 211
P. Spatz, K.J. Gross, A. Züttel, L. Schlapbach (Fribourg, Switzerland)

Improvement of critical current density in Y–Ba–Cu–F–O compounds by addition of platinum 217
T. Hamada, Y. Ikeda (Miyakonojyo, Japan), T. Akune, N. Sakamoto (Fukuoka, Japan)

Separation and recovery of rare earths via a dry chemical vapour transport based on halide gaseous complexes 222
J. Jiang, T. Ozaki, K.-i. Machida, G.-y. Adachi (Osaka, Japan)

Coercivity of Zn evaporation-coated $Sm_2Fe_{17}N_x$ fine powder and its bonded magnets 236
K. Makita, S. Hirosawa (Osaka, Japan)

Melt processed $YBa_2Cu_3O_{7-x}$ superconductors 242
E. Yanmaz (Trabzon, Turkey)

Regarding the processing associated microstructure and mechanical properties improvement of an Al-4.5 Cu alloy 250
M. Gupta, M.O. Lai, S.C. Lim (Singapore, Singapore)

Pressure–composition isotherms of the $Mg_2Ni_{0.75}Fe_{0.25}$–Mg system synthesized by replacement–diffusion method 256
H. Yuan, H. Yang, Z. Zhou, D. Song, Y. Zhang (Tianjin, China)

Properties of chemically prepared $MmNi_{4.52}Mn_{0.49}$ alloy 260
J. Chen, D.H. Bradhurst, S.X. Dou, H.K. Liu (New South Wales, Australia)

$ZrV_{1.5}Ni_{1.5}$ as electrode material in nickel–metal hydride batteries. An in situ scanning tunnelling microscopy investigation . . 265
D. Chartouni, A. Züttel, C. Nützenadel, L. Schlapbach (Fribourg, Switzerland)

Influence of HDDR treatment on magnetic properties of $TbFe_2$-and $DyFe_2$-based intermetallics 271
N.K. Zajkov, N.V. Mushnikov (Ekaterinburg, Russia)

Magnetic properties of novel compounds $R_3(Fe,Cr)_{29}X_y$ (R = Nd, Sm and X = N, C) 277
Y.-Z. Wang (Beijing, P.R. China), H.-S. Li (Kensington, Australia), X.-F. Han, B.-P. Hu, G.-C. Liu, C.-P. Yang, N. Tang, F.-M. Yang (Beijing, P.R. China), J.M. Cadogan (Kensington, Australia)

Resistivity measurements on hydrogenation disproportionation desorption recombination phenomena in Nd–Fe–B alloys with Co, Ga and Zr additions 284
S. Sugimoto, O. Gutfleisch, I.R. Harris (Birmingham, UK)

Author Index of Volume 260 293

Subject Index of Volume 260 295